

		CLP-895GP	CLP-885	CLP-875	CLP-845	CLP-865GP	CLP-835	CLP-825
Size/Weight								
Dimensions	Width	1,430 mm [56-5/16"]	1,461 mm [57-1/2"] Polished finish: 1,467 mm [57-3/4"]	1,450 mm [57-1/16"] Polished finish: 1,455 mm [57-5/16"]	1,450 mm [57-1/16"] Polished finish: 1,455 mm [57-5/16"]	1,430 mm [56-5/16"]	1,450 mm [57-1/16"] Polished finish: 1,455 mm [57-5/16"]	1,350 mm [53-1/8"] Polished finish: 1,353 mm [53-1/4"]
	Height	932 mm [36-11/16"] (with music rest raised: 1,094 mm [43-1/16"])	1,027 mm [40-7/16"] Polished finish: 1,029 mm [40-1/2"]	967 mm [38-1/16"] (with music rest raised: 1,130 mm [44-1/2"]) Polished finish: 970 mm [38-3/16"] (with music rest raised: 1,131 mm [44-1/2"])	927 mm [36-1/2"] (with music rest raised: 1,091 mm [42-15/16"]) Polished finish: 930 mm [36-5/8"] (with music rest raised: 1,092 mm [43-0"])	932 mm [36-11/16"] (with music rest raised: 1,094 mm [43-1/16"])	927 mm [36-1/2"] (with music rest raised: 1,083 mm [42-5/8"]) Polished finish: 930 mm [36-5/8"] (with music rest raised: 1,084 mm [42-11/16"])	849 mm [33-7/16"] (with music rest raised: 1,003 mm [39-1/2"]) Polished finish: 851 mm [33-1/2"] (with music rest raised: 1,005 mm [39-9/16"])
	Depth	1,237 mm [48-11/16"]	494 mm [19-7/16"] Polished finish: 494 mm [19-7/16"]	465 mm [18-5/16"] Polished finish: 465 mm [18-5/16"]	460 mm [18-1/8"] Polished finish: 460 mm [18-1/8"]	1,146 mm [45-1/8"]	460 mm [18-1/8"] Polished finish: 460 mm [18-1/8"]	411 mm [16-3/16"] Polished finish: 411 mm [16-3/16"]
Weight	Weight	135 kg [297 lb, 10 oz]	87 kg [191 lb, 13 oz] Polished finish: 90 kg [198 lb, 7 oz]	71 kg [156 lb, 8 oz] Polished finish: 74 kg [163 lb, 2 oz]	60 kg [132 lb, 4 oz] Polished finish: 63 kg [138 lb, 14 oz]	106 kg [233 lb, 11 oz]	57 kg [125 lb, 11 oz] Polished finish: 60 kg [132 lb, 4 oz]	45 kg [99 lb, 3 oz] Polished finish: 47 kg [103 lb, 10 oz]
Dimensions of Packing Box	W x H x D	-	1,582 mm x 784 mm x 814 mm [62-5/16" x 30-7/8" x 32-1/16"]	1,590 mm x 621 mm x 730 mm [62-5/8" x 24-7/16" x 28-3/4"]	1,571 mm x 639 mm x 569 mm [61-7/8" x 25-3/16" x 22-3/8"]	-	1,571 mm x 639 mm x 569 mm [61-7/8" x 25-3/16" x 22-3/8"]	-
Control Interface								
Keyboard	Number of Keys	88	88	88	88	88	88	88
	Type	GrandTouch™ keyboard: wooden keys	GrandTouch™ keyboard: wooden keys	GrandTouch™ keyboard: wooden keys	GrandTouch-S™ keyboard: wooden keys	GrandTouch-S™ keyboard: synthetic ebony	GrandTouch-S™ keyboard: synthetic ebony	GrandTouch-S™ keyboard: synthetic ebony

		CLP-895GP	CLP-885	CLP-875	CLP-845	CLP-865GP	CLP-835	CLP-825
Panel	Type	Touch sensors	Touch sensors	Touch sensors	Buttons	Buttons	Buttons	-
	Language	English	English	English	English	English	English	English
Cabinet								
Key Cover Style		Sliding	Folding	Sliding	Sliding	Sliding	Sliding	Sliding
Music Rest		Yes	Yes	Yes	Yes	Yes	Yes	Yes
Music Braces		Yes	Yes	Yes	Yes	Yes	Yes	Yes
Voices								
Tone Generator	Piano Sound	Yamaha CFX, Bösendorfer Imperial	Yamaha CFX, Bösendorfer Imperial	Yamaha CFX, Bösendorfer Imperial	Yamaha CFX, Bösendorfer Imperial	Yamaha CFX, Bösendorfer Imperial	Yamaha CFX, Bösendorfer Imperial	Yamaha CFX, Bösendorfer Imperial
	Binaural Sampling	Yes (“CFX Grand” and “Bösendorfer” only)	Yes (“CFX Grand” and “Bösendorfer” only)	Yes (“CFX Grand” and “Bösendorfer” only)	Yes (“CFX Grand” and “Bösendorfer” only)	Yes (“CFX Grand” and “Bösendorfer” only)	Yes (“CFX Grand” and “Bösendorfer” only)	Yes (“CFX Grand” only)
	Virtual Resonance Modeling (VRM)	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Grand Expression Modeling	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Polyphony	Number of Polyphony (Max.)	256	256	256	256	256	256	256
Preset	Number of Voices	53 Voices + 480 XG Voices + 14 Drum/SFX Kits	53 Voices + 480 XG Voices + 14 Drum/SFX Kits	38	38	38	38	10

		CLP-895GP	CLP-885	CLP-875	CLP-845	CLP-865GP	CLP-835	CLP-825
Compatibility		XG (GM), GS (for Song playback), GM2 (for Song playback)	XG (GM), GS (for Song playback), GM2 (for Song playback)	-	-	-	-	-
Effects								
Types	Reverb	7 types	7 types	7 types	7 types	7 types	7 types	4 types
	Chorus	3 types	3 types	3 types	3 types	3 types	3 types	-
	Brilliance	7 types + User	7 types + User	7 types + User	7 types + User	7 types + User	7 types + User	-
	Insertion Effect	12 types	12 types	12 types	12 types	12 types	12 types	-
	Intelligent Acoustic Control (IAC)	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Stereophonic Optimizer	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Functions	Dual/Layers	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Split	Yes	Yes	Yes	Yes	Yes	Yes	-
	Duo	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Songs								
Preset	Number of Preset Songs	27 Voice Demo + 50 Classics + 303 Lesson Songs	27 Voice Demo + 50 Classics + 303 Lesson Songs	23 Voice Demo + 50 Classics + 303 Lesson Songs	23 Voice Demo + 50 Classics + 303 Lesson Songs	23 Voice Demo + 50 Classics + 303 Lesson Songs	23 Voice Demo + 50 Classics + 303 Lesson Songs	10 Voice Demo + 50 Classics + 303 Lesson Songs
MIDI Recording	Number of Songs	250	250	250	250	250	250	1

		CLP-895GP	CLP-885	CLP-875	CLP-845	CLP-865GP	CLP-835	CLP-825
	Number of Tracks	16	16	16	16	16	16	2
	Data Capacity	Approx. 500 KB/Song (approx. 22,000 notes)	Approx. 500 KB/Song (approx. 22,000 notes)	Approx. 500 KB/Song (approx. 22,000 notes)	Approx. 500 KB/Song (approx. 22,000 notes)	Approx. 500 KB/Song (approx. 22,000 notes)	Approx. 500 KB/Song (approx. 22,000 notes)	Approx. 250 KB/Song (approx. 11,000 notes)
Audio Recording (USB flash drive)	Recording Time (max.)	80 minutes/Song	80 minutes/Song	80 minutes/Song	80 minutes/Song	80 minutes/Song	80 minutes/Song	-
Compatible Data Format	Playback	SMF (Format 0, Format 1), WAV (44.1 kHz, 16-bit, stereo)	SMF (Format 0, Format 1), WAV (44.1 kHz, 16-bit, stereo)	SMF (Format 0, Format 1), WAV (44.1 kHz, 16-bit, stereo)	SMF (Format 0, Format 1), WAV (44.1 kHz, 16-bit, stereo)	SMF (Format 0, Format 1), WAV (44.1 kHz, 16-bit, stereo)	SMF (Format 0, Format 1), WAV (44.1 kHz, 16-bit, stereo)	SMF (Format 0, Format 1)
	Recording	SMF (Format 0), WAV (44.1 kHz, 16-bit, stereo)	SMF (Format 0), WAV (44.1 kHz, 16-bit, stereo)	SMF (Format 0), WAV (44.1 kHz, 16-bit, stereo)	SMF (Format 0), WAV (44.1 kHz, 16-bit, stereo)	SMF (Format 0), WAV (44.1 kHz, 16-bit, stereo)	SMF (Format 0), WAV (44.1 kHz, 16-bit, stereo)	SMF (Format 0)
Functions								
Piano Room		Yes	Yes	Yes	Yes	Yes	Yes	-
Rhythm	Number of Rhythms	20	20	20	20	20	20	-
Overall Controls	Metronome	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Tempo Range	5 – 500	5 – 500	5 – 500	5 – 500	5 – 500	5 – 500	5 – 280
	Transpose	–12 – 0 – +12	–12 – 0 – +12	–12 – 0 – +12	–12 – 0 – +12	–12 – 0 – +12	–12 – 0 – +12	–6 – 0 – +6
	Tuning	414.8 – 440.0 – 466.8 Hz (approx. 0.2 Hz increments)	414.8 – 440.0 – 466.8 Hz (approx. 0.2 Hz increments)	414.8 – 440.0 – 466.8 Hz (approx. 0.2 Hz increments)	414.8 – 440.0 – 466.8 Hz (approx. 0.2 Hz increments)	414.8 – 440.0 – 466.8 Hz (approx. 0.2 Hz increments)	414.8 – 440.0 – 466.8 Hz (approx. 0.2 Hz increments)	414.8 – 440.0 – 466.8 Hz (approx. 0.2 Hz increments)
	Scale Type	7 types	7 types	7 types	7 types	7 types	7 types	-

		CLP-895GP	CLP-885	CLP-875	CLP-845	CLP-865GP	CLP-835	CLP-825
	USB Audio Interface	44.1 kHz, 24 bit, stereo	44.1 kHz, 24 bit, stereo	44.1 kHz, 24 bit, stereo	44.1 kHz, 24 bit, stereo	44.1 kHz, 24 bit, stereo	44.1 kHz, 24 bit, stereo	44.1 kHz, 24 bit, stereo
Bluetooth		Audio, MIDI (varies by area)	Audio, MIDI (varies by area)	Audio, MIDI (varies by area)	Audio, MIDI (varies by area)	Audio, MIDI (varies by area)	Audio, MIDI (varies by area)	Audio, MIDI (varies by area)
Storage and Connectivity								
Storage	Internal Memory	Total maximum size approx. 1.4 MB	Total maximum size approx. 1.4 MB	Total maximum size approx. 1.4 MB	Total maximum size approx. 1.4 MB	Total maximum size approx. 1.4 MB	Total maximum size approx. 1.4 MB	-
	External Drives	USB flash drive	USB flash drive	USB flash drive	USB flash drive	USB flash drive	USB flash drive	-
Connectivity	Headphones	Standard stereo phone jack (× 2)	Standard stereo phone jack (× 2)	Standard stereo phone jack (× 2)	Standard stereo phone jack (× 2)	Standard stereo phone jack (× 2)	Standard stereo phone jack (× 2)	Standard stereo phone jack (× 2)
	AUX IN	Stereo mini jack	Stereo mini jack	Stereo mini jack	Stereo mini jack	Stereo mini jack	Stereo mini jack	-
	AUX OUT	Standard phone jack (L/L+R, R)	Standard phone jack (L/L+R, R)	Standard phone jack (L/L+R, R)	Standard phone jack (L/L+R, R)	Standard phone jack (L/L+R, R)	Standard phone jack (L/L+R, R)	-
	USB TO DEVICE	Type A	Type A	Type A	Type A	Type A	Type A	-
	USB TO HOST	Type B	Type B	Type B	Type B	Type B	Type B	Type B
	DC IN	24 V	24 V	24 V	24 V	24 V	16 V	16 V
Amplifiers and Speakers								
Amplifiers		(45 W + 45 W + 45 W) × 2	(45 W + 30 W + 40 W) × 2	(45 W + 25 W + 40 W) × 2	(45 W + 45 W) × 2	(45 W + 35 W) × 2	30 W × 2	20 W × 2
Speakers		(16 cm + 8 cm with Waveguide + 2.5 cm (dome) with Waveguide) × 2, Spruce Cone Speaker	(16 cm with diffuser + 8 cm with diffuser + 2.5 cm (dome) with Bidirectional	(16 cm + 8 cm with diffuser + 2.5 cm (dome) with Bidirectional Horn) × 2	(16 cm with diffuser + 8 cm with diffuser) × 2	(16 cm with diffuser + 5 cm) × 2	16 cm with diffuser × 2	12 cm with diffuser × 2

	CLP-895GP	CLP-885	CLP-875	CLP-845	CLP-865GP	CLP-835	CLP-825
		Horn) × 2, Spruce Cone Speaker					
Power Supply							
AC Adaptor	PA-500	PA-500	PA-500	PA-500	PA-500	PA-300C	PA-300C
Power Consumption	60 W (When using PA-500 AC adaptor)	55 W (When using PA-500 AC adaptor)	55 W (When using PA-500 AC adaptor)	30 W (When using PA-500 AC adaptor)	55 W (When using PA-500 AC adaptor)	18 W (When using PA-300C AC adaptor)	12 W (When using PA-300C AC adaptor)
Auto Power Off	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Accessories							
Included Accessories	Owner's Manual, "50 Classical Music Masterpieces" Music Book, Online Member Product Registration, Bench*, Power cord*/AC adaptor* (PA-500) *Varies by area	Owner's Manual, "50 Classical Music Masterpieces" Music Book, Online Member Product Registration, Bench*, Power cord*/AC adaptor* (PA-500) *Varies by area	Owner's Manual, "50 Classical Music Masterpieces" Music Book, Online Member Product Registration, Bench*, Power cord*/AC adaptor* (PA-500) *Varies by area	Owner's Manual, "50 Classical Music Masterpieces" Music Book, Online Member Product Registration, Bench*, Power cord*/AC adaptor* (PA-500) *Varies by area	Owner's Manual, "50 Classical Music Masterpieces" Music Book, Online Member Product Registration, Bench*, Power cord*/AC adaptor* (PA-500) *Varies by area	Owner's Manual, "50 Classical Music Masterpieces" Music Book, Online Member Product Registration, Bench*, Power cord*/AC adaptor* (PA-300C) *Varies by area	Owner's Manual, "50 Classical Music Masterpieces" Music Book, Online Member Product Registration, Bench*, Power cord*/AC adaptor* (PA-300C) *Varies by area
Separately Sold Accessories	Headphones (HPH-150, HPH-100, HPH-50), Pedal unit (FC35), AC adaptor (PA-500), USB wireless LAN adaptor (UD-WL01)	Headphones (HPH-150, HPH-100, HPH-50), Pedal unit (FC35), AC adaptor (PA-500), USB wireless LAN adaptor (UD-WL01)	Headphones (HPH-150, HPH-100, HPH-50), Pedal unit (FC35), AC adaptor (PA-500), USB wireless LAN adaptor (UD-WL01)	Headphones (HPH-150, HPH-100, HPH-50), Pedal unit (FC35), AC adaptor (PA-500), USB wireless LAN adaptor (UD-WL01)	Headphones (HPH-150, HPH-100, HPH-50), Pedal unit (FC35), AC adaptor (PA-500), USB wireless LAN adaptor (UD-WL01)	Headphones (HPH-150, HPH-100, HPH-50), Pedal unit (FC35), AC adaptor (PA-300C), USB wireless LAN adaptor (UD-WL01)	Headphones (HPH-150, HPH-100, HPH-50), Pedal unit (FC35), AC adaptor (PA-300C)